






Series A-Standard Stainless Rose

Features

Size:	54mm diameter x 10mm thick
Fixing:	Concealed 38mm-41mm horizontal bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes


	A01	Complete Set
	A02	Half Set
	A03	Blank Rose
	A04	Privacy Set
	A06	Concealed Turn Snib
	A07	Visible Turn Snib
	A08	Cylinder Escutcheon
	A09	Emergency Release
	A09I	Emergency Release Indicating
	A10	Euro Escutcheon



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example


A01/58/8/LH/SSS

	Finish (SSS, PSS, NC SSS, NC PSS, NC PB.)
	Handing(If req) LH:Left Hand RH:Right Hand
	Spindle Blank: 7.6mm 8: 8mm
	Lever Design (50-60, 74, 80)
	Rose Design (A01-A10)




Series A-Lever Options & Dimensional Details


Lever 50




Lever 50




Lever 53




Lever 51




Lever 51




Lever 54




Lever 52




Lever 52




Lever 55




Lever 53



Lever 54




Lever 55




Series A-Lever Options & Dimensional Details


Lever 56






Lever 56




Lever 60




Lever 57






Lever 57




Lever 74




Lever 58




Lever 58




Lever 80




Lever 59





Lever 60



Lever 59



Lever 74



Lever 80








Series B-Designer Stainless Rose

Features


Size:	54mm diameter x 10mm thick
Fixing:	Concealed 38mm-41mm horizontal bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes

	B01	Complete Set
	B02	Half Set
	B03	Blank Rose
	B04	Privacy Set
	B06	Concealed Turn Snib Round
	B07	Visible Turn Snib Oval
	B08	Cylinder Escutcheon
	B09	Emergency Release
	B09I	Emergency Release Indicating
	B10	Euro Escutcheon




Fire Rated



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example


B01/58/8/LH/SSS

	Finish (SSS, PSS, NC SSS, NC PSS, NC PB.)
	Handing(If req) LH:Left Hand RH:Right Hand
	Spindle Blank: 7.6mm 8: 8mm
	Lever Design (50-67, 69-74, 80, 91, 93, 94, 96, 97)
	Rose Design (B01-B10)




Series B-Lever Options


Lever 50




Lever 56




Lever 62




Lever 69




Lever 80




Lever 51




Lever 57




Lever 63




Lever 70




Lever 91




Lever 52




Lever 58




Lever 64




Lever 71




Lever 93




Lever 53




Lever 59




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




Lever 96




Lever 55




Lever 61




Lever 67



Lever 74



Lever 97




NOTE: CAPTIVETROSES WITH LEVERS "61, 64, 65, 67, 69 & 80."




Series B-Dimensional Details


Lever 50




Lever 55




Lever 60




Lever 51




Lever 56




Lever 61




Lever 52




Lever 57




Lever 62




Lever 53




Lever 58




Lever 63




Lever 54



Lever 59




Lever 64




Series B-Dimensional Details


Lever 65




Lever 71




Lever 91




Lever 66




Lever 72




Lever 93




Lever 67




Lever 73




Lever 94




Lever 69




Lever 74




Lever 96




Lever 70



Lever 80



Lever 97







Series C-Standard Stainless Rose

Features


Size:	63mm diameter x 10mm thick
Fixing:	Concealed 38mm-41mm horizontal bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes

	C01 Complete Set
	C02 Half Set
	C03 Blank Rose
	C04 Privacy Set
	C06 Concealed Turn Snib
	C07 Visible Turn Snib
	C08 Cylinder Escutcheon
	C09 Emergency Release
	C09I Emergency Release Indicating
	C10 Euro Escutcheon




Series C Rose



Series C Escutcheons




Fire Rated



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example


C01/58/8/LH/SSS

Finish (SSS, PSS, NC SSS, NC PSS, NC PB.)
Handing (If req) LH: Left Hand RH: Right Hand
Spindle Blank: 7.6mm 8: 8mm
Lever Design (50-60, 74, 80)
Rose Design (C01-C10)




Series C-Lever Options & Dimensional Details


Lever 51




Lever 50




Lever 53




Lever 51




Lever 51




Lever 54




Lever 52




Lever 52




Lever 55




Lever 53



Lever 54




Lever 55




Series C-Lever Options & Dimensional Details


Lever 56




Lever 56




Lever 60




Lever 57




Lever 57




Lever 74




Lever 58



Lever 58




Lever 80





Lever 59





Lever 59





Lever 60



Lever 74



Lever 80







Series D-Designer Stainless Rose

Features


Size:	63mm diameter x 10mm thick
Fixing:	Concealed 38mm-41mm horizontal bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes

	D01 Complete Set
	D02 Half Set
	D03 Blank Rose
	D04 Privacy Set
	D06 Concealed Turn Snib Round
	D07 Visible Turn Snib Oval
	D08 Cylinder Escutcheon
	D09 Emergency Release
	D09I Emergency Release Indicating
	D10 Euro Escutcheon




Series D Rose



Series D Escutcheons




Fire Rated



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handling



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example


D01/58/8/LH/SSS

Finish	(SSS, PSS, NC SSS, NC PSS, NC PB.)
Handing(If req)	LH:Left Hand RH:Right Hand
spindle	Blank: 7.6mm 8: 8mm
Lever Design	(50-67, 69-74, 80, 91, 93, 94, 96, 97)
Rose Design	(D01-D10)




Series D-Lever Options


Lever 50




Lever 56




Lever 62




Lever 69




Lever 80




Lever 51




Lever 57




Lever 63




Lever 70




Lever 91




Lever 52




Lever 58




Lever 64




Lever 71




Lever 93




Lever 53




Lever 59




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




Lever 96




Lever 55




Lever 61




Lever 67



Lever 74




Lever 97




Series D-Dimensional Details


Lever 50




Lever 55




Lever 60




Lever 51




Lever 56




Lever 61




Lever 52




Lever 57




Lever 62




Lever 53




Lever 58




Lever 63




Lever 54



Lever 59




Lever 64




Series D-Dimensional Details


Lever 65




Lever 71




Lever 91




Lever 66




Lever 72




Lever 93




Lever 67




Lever 73




Lever 94




Lever 69




Lever 74




Lever 96




Lever 70



Lever 80



Lever 97






Series E-Slimline Stainless Rose

Features

Size:	54mm diameter x 2mm thick
Fixing:	Visible 38mm-41mm horizontal bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	35-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes


	E01	Complete Set
	E02	Concealed Half Set
	E03	Visible Half Set
	E04	Concealed Blank Rose
	E05	Visible Blank Rose
	E07	Turn Snib
	E08	Cylinder Escutcheon
	E09	Emergency Release
	E10	Euro Escutcheon



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example

E01/58/8/LH/SSS

Finish (SSS, PSS, NC SSS,
NC PSS, NC PB.)

Handing (If req)

LH: Left Hand

RH: Right Hand


Spindle

Blank: 7.6mm


8: 8mm

Lever Design (50-67, 69-74,
80, 91, 93, 94, 96, 97)

Rose Design (E01-E10)



Series E Rose



Series E Escutcheons




Fire Rated




Series E-Lever Options


Lever 50




Lever 56




Lever 62




Lever 69




Lever 80




Lever 51




Lever 57




Lever 63




Lever 70




Lever 91




Lever 52




Lever 58




Lever 64




Lever 71




Lever 93




Lever 53




Lever 59




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




Lever 96




Lever 55




Lever 61




Lever 67



Lever 74




Lever 97




Series E-Dimensional Details


Lever 50




Lever 55




Lever 60




Lever 51




Lever 56




Lever 61




Lever 52




Lever 57




Lever 62




Lever 53




Lever 58




Lever 63




Lever 54



Lever 59




Lever 64




Series E-Dimensional Details


Lever 65




Lever 71




Lever 91




Lever 66




Lever 72




Lever 93




Lever 67




Lever 73




Lever 94




Lever 69




Lever 74




Lever 96




Lever 70



Lever 80



Lever 97







Series F-Square Stainless Rose

Features


Size:	53mm x 53mm x 10mm thick
Fixing:	Visible 41mm horizontal bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes

	F01	Complete Set
	F02	Half Set
	F03	Blank Rose
	F04	Privacy Set
	F06	Concealed Turn Snib Round
	F07	Concealed Turn Snib Oval
	F08	Cylinder Escutcheon
	F09	Emergency Release
	F09I	Emergency Release Indicating
	F10	Euro Escutcheon



Series F Rose



Series F Escutcheons




Fire Rated



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handling



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example


F01/64/8/LH/SSS

Finish (SSS, PSS, NC SSS, NC PSS, NC PB.)
Handing (If req) LH: Left Hand RH: Right Hand
Spindle Blank: 7.6mm 8: 8mm
Lever Design (50-67, 69-74, 80, 91, 93, 94, 96, 97)
Plate Design (F01-F10)




Series F-Lever Options


Lever 50




Lever 56




Lever 62




Lever 69




Lever 80




Lever 51




Lever 57




Lever 63




Lever 70




Lever 91




Lever 52




Lever 58




Lever 64




Lever 71




Lever 93




Lever 53




Lever 59




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




Lever 96




Lever 55




Lever 61




Lever 67



Lever 74




Lever 97




Series F-Dimensional Details


Lever 50




Lever 55




Lever 60




Lever 51




Lever 56




Lever 61




Lever 52




Lever 57




Lever 62




Lever 53




Lever 58




Lever 63




Lever 54



Lever 59




Lever 64




Series F-Dimensional Details


Lever 65




Lever 71




Lever 91




Lever 66




Lever 72




Lever 93




Lever 67




Lever 73




Lever 94




Lever 69




Lever 74




Lever 96




Lever 70



Lever 80



Lever 97




Series J-Rectangular Stainless Plate

Features

Size:	165mm x 46mm x 10mm thick
Fixing:	Concealed fixing both sides of door.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes

	J01	Concealed Cylinder
	J03	Concealed Turn Snib
	J04	Concealed Emergency
	J04I	Concealed Emergency Indicating
	J05	Concealed Plain
	J11	Concealed Cylinder Plate
	J13	Concealed Turn Snib Plate
	J14	Concealed Emergency Plate
	J14I	Concealed Emergency Plate Indicating
	J15	Concealed Plain Plate




Fire Rated



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example


J01/52/8/LH/SSS

Finish	(SSS, PSS, NC SSS, NC PSS, NC PB.)
Handing(If req)	LH:Left Hand RH:Right Hand
Spindle	Blank: 7.6mm 8: 8mm
Lever Design	(50-61, 67,69,70~72,74, 80)
Rose Design	(J01-J15)




Series J-Lever Options & Dimensional Details


Lever 50




Lever 51




Lever 52




Lever 53




Lever 54




Lever 55




Lever 56




Lever 57




Lever 58




Lever 59




Lever 60




Lever 61




Lever 67




Lever 69




Lever 70




Lever 71




Lever 72



Lever 74




Lever 80




Series J-Lever Options & Dimensional Details


Lever 50




Lever 51




Lever 52




Lever 53




Lever 54




Lever 55




Lever 56



Lever 57




Lever 58




Series J-Lever Options & Dimensional Details


Lever 59




Lever 60




Lever 61




Lever 62




Lever 63




Lever 67




Lever 69



Lever 70




Lever 71




Series J-Lever Options & Dimensional Details


Lever 72





Lever 74



Lever 80



To suit 12500 locks




Series K-Rectangular Stainless Plate Radius End

Features


Size:	165mm x 46mm x 10mm thick
Fixing:	Concealed fixing both sides of door.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes

	K01	Concealed Cylinder
	K03	Concealed Turn Snib
	K04	Concealed Emergency
	K04I	Concealed Emergency Indicating
	K05	Concealed Plain
	K11	Concealed Cylinder Plate
	K13	Concealed Turn Snib Plate
	K14	Concealed Emergency Plate
	K14I	Concealed Emergency Plate Indicating
	K15	Concealed Plain Plate




Fire Rated



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example


K01/52/8/LH/SSS

Finish	(SSS, PSS, NC SSS, NC PSS, NC PB.)
Handing(If req)	LH:Left Hand RH:Right Hand
Spindle	Blank: 7.6mm 8: 8mm
Lever Design	(50-61, 67,69,70~72,74, 80)
Rose Design	(K01-K15)




Series K-Rectangular Stainless Plate Radius End


Lever 50




Lever 51




Lever 52




Lever 53




Lever 54




Lever 55




Lever 56




Lever 57




Lever 58




Lever 59




Lever 60




Lever 61




Lever 67




Lever 69




Lever 70




Lever 71




Lever 72



Lever 74




Lever 80




Series K-Rectangular Stainless Plate Radius End


Lever 50




Lever 51




Lever 52




Lever 53




Lever 54




Lever 55




Lever 56



Lever 57




Lever 58




Series K-Lever Options & Dimensional Details


Lever 59




Lever 60




Lever 61




Lever 62




Lever 63




Lever 67




Lever 69



Lever 70




Lever 71




Series K-Rectangular Stainless Plate Radius End


Lever 72





Lever 74



Lever 80



To suit 12500 locks




Series L-Slimline Rectangular Plate

Features

Size:	165 x 55 x 2mm thick
Fixing:	Visible bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	35-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes

	L01	Concealed Cylinder
	L02	Visible Cylinder
	L03	Visible Turn Snib
	L04	Concealed Emergency
	L05	Concealed Plain
	L06	Visible Plain
	L11	Concealed Cylinder Plate
	L12	Visible Cylinder Plate
	L13	Visible Turn Snib Plate
	L14	Concealed Emergency Plate
	L15	Concealed Plain Plate
	L16	Visible Plain Plate




Fire Rated



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example


L01/52/8/LH/SSS

Finish	(SSS, PSS, NC SSS, NC PSS, NC PB.)
Handing(If req)	LH:Left Hand RH:Right Hand
Spindle	Blank: 7.6mm 8: 8mm
Lever Design	(50-67,69-74, 80, 91, 93, 94, 96, 97)
Rose Design	(L01-L10)




Series L-Lever Options


Lever 50




Lever 56



Lever 62




Lever 69




Lever 80




Lever 51




Lever 57




Lever 63




Lever 70




Lever 91




Lever 52




Lever 58




Lever 64




Lever 71




Lever 93




Lever 53




Lever 59




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




Lever 96




Lever 55




Lever 61




Lever 67



Lever 74




Lever 97




Series L-Dimensional Details


Lever 50




Lever 53




Lever 56




Lever 51




Lever 54




Lever 57




Lever 52



Lever 55




Lever 58




Series L-Dimensional Details


Lever 59




Lever 62




Lever 65




Lever 60




Lever 63




Lever 66




Lever 61



Lever 64




Lever 67




Series L-Dimensional Details


Lever 69




Lever 72




Lever 80




Lever 70




Lever 73




Lever 91




Lever 71



Lever 74




Lever 93




Series L-Dimensional Details


Lever 94





Lever 96



Lever 97



To suit 12500 locks




Series M-Slimline Stainless Rectangular Plate Radius End

Features

Size:	165 x 55 x 2mm thick
Fixing:	Visible bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	35-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes


	M01	Concealed Cylinder
	M02	Visible Cylinder
	M03	Visible Turn Snib
	M04	Concealed Emergency
	M05	Concealed Plain
	M06	Visible Plain
	M11	Concealed Cylinder Plate
	M12	Visible Cylinder Plate
	M13	Visible Turn Snib Plate
	M14	Concealed Emergency Plate
	M15	Concealed Plain Plate
	M16	Visible Plain Plate



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example

M01/59/8/LH/SSS

Finish (SSS, PSS, NC SSS,
NC PSS, NC PB.)

Handing (If req)

LH: Left Hand

RH: Right Hand

Spindle

Blank: 7.6mm

8: 8mm

Lever Design (50-67, 69-74,
80, 91, 93, 94, 96, 97)

Rose Design (M01-M16)




Fire Rated




Series M-Lever Options


Lever 50




Lever 56




Lever 62




Lever 69




Lever 80




Lever 51




Lever 57




Lever 63




Lever 70




Lever 91




Lever 52




Lever 58




Lever 64




Lever 71




Lever 93




Lever 53




Lever 59




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




Lever 96




Lever 55




Lever 61




Lever 67



Lever 74




Lever 97




Series M-Dimensional Details


Lever 50




Lever 53




Lever 56




Lever 51




Lever 54




Lever 57




Lever 52



Lever 55




Lever 58




Series M-Dimensional Details


Lever 59




Lever 62




Lever 65




Lever 60




Lever 63




Lever 66




Lever 61



Lever 64




Lever 67




Series M-Dimensional Details


Lever 69




Lever 72




Lever 80




Lever 70




Lever 73




Lever 91




Lever 71



Lever 74




Lever 93




Series M-Dimensional Details


Lever 94





Lever 96



Lever 97



To suit 12500 locks




Series P-Rectangular Stainless Narrow Style

Features


Size:	185 x 25 x 12mm thick
Fixing:	Visible bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes

	P01	Concealed Cylinder
	P02	Visible Cylinder
	P03	Visible Turn Snib
	P04	Concealed Emergency
	P05	Concealed Plain
	P06	Visible Plain
	P11	Concealed Cylinder Blank Plate
	P12	Visible Cylinder Blank Plate
	P13	Visible Turn Snib Blank Plate
	P14	Concealed Emergency Blank Plate
	P15	Concealed Plain Blank Plate
	P16	Visible Plain Blank Plate




Fire Rated



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example


P01/59/8/LH/SSS

Finish (SSS, PSS, NC SSS, NC PSS, NC PB.)
Handing (If req) LH: Left Hand RH: Right Hand
Spindle Blank: 7.6mm 8: 8mm
Lever Design (50-67, 69-74, 80, 91, 93, 94, 96, 97)
Rose Design (P01-P16)




Series P-Lever Options


Lever 50




Lever 56




Lever 62




***Lever 69**




Lever 80




Lever 51




Lever 57




Lever 63




***Lever 70**




***Lever 91**




Lever 52




***Lever 58**




Lever 64




***Lever 71**




Lever 93




Lever 53




***Lever 59**




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




***Lever 96**




Lever 55




Lever 61




Lever 67



Lever 74



Lever 97




*Handing (LH or RH)




Series P-Dimensional Details


Lever 50




Lever 53




Lever 56




Lever 51




Lever 54




Lever 57




Lever 52



Lever 55




Lever 58




Series P-Dimensional Details


Lever 59




Lever 62




Lever 65




Lever 60




Lever 63




Lever 66




Lever 61



Lever 64




Lever 67




Series P-Dimensional Details


Lever 69




Lever 72




Lever 80




Lever 70




Lever 73




Lever 91




Lever 71



Lever 74




Lever 93




Series P-Dimensional Details


Lever 94



Lever 96




Lever 97




To suit 12601 Narrow Style locks




P0102



P0304



P0506




Series Q-Rectangular Stainless Radius End Narrow Style Plate

Features


Size:	185 x 25 x 12mm thick
Fixing:	Visible bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes

	Q01 Concealed Cylinder
	Q02 Visible Cylinder
	Q03 Visible Turn Snib
	Q04 Concealed Emergency
	Q05 Concealed Plain
	Q06 Visible Plain
	Q11 Concealed Cylinder Blank Plate
	Q12 Visible Cylinder Blank Plate
	Q13 Visible Turn Snib Blank Plate
	Q14 Concealed Emergency Blank Plate
	Q15 Concealed Plain Blank Plate
	Q16 Visible Plain Blank Plate




Fire Rated



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example


Q01/59/8/LH/SSS

Finish	(SSS, PSS, NC SSS, NC PSS, NC PB.)
Handing(If req)	LH:Left Hand RH:Right Hand
Spindle	Blank: 7.6mm 8: 8mm
Lever Design	(50-67,69-74, 80, 91, 93, 94, 96, 97)
Rose Design	(Q01-Q16)




Series Q-Lever Options

Lever 50




Lever 56




Suits 30 & 38mm backsets only

Lever 62




***Lever 69**




Suits 30 & 38mm backsets only

Lever 80




Suits 30 & 38mm backsets only

Lever 51




Lever 57




Suits 30 & 38mm backsets only

Lever 63




***Lever 70**




Suits 30 & 38mm backsets only


***Lever 91**



Lever 52




***Lever 58**




Suits 30 & 38mm backsets only

Lever 64




***Lever 71**




Suits 30 & 38mm backsets only

Lever 93




Suits 30 & 38mm backsets only

Lever 53




***Lever 59**




Suits 30 & 38mm backsets only

Lever 65




Lever 72




Suits 30 & 38mm backsets only

Lever 94




Suits 30 & 38mm backsets only

Lever 54




Suits 30 & 38mm backsets only


Lever 60



Lever 66




Lever 73




Suits 30 & 38mm backsets only

***Lever 96**




Lever 55




Suits 30 & 38mm backsets only


Lever 61




Lever 67



Lever 74



Lever 97




Suits 30 & 38mm backsets only

*Handing (LH or RH)




Series Q-Dimensional Details


Lever 50




Lever 53




Lever 56




Lever 51




Lever 54




Lever 57




Lever 52



Lever 55




Lever 58




Series Q-Dimensional Details


Lever 59




Lever 62




Lever 65




Lever 60




Lever 63




Lever 66




Lever 61



Lever 64




Lever 67




Series Q-Dimensional Details


Lever 69




Lever 72




Lever 80




Lever 70




Lever 73




Lever 91




Lever 71



Lever 74




Lever 93




Series Q-Dimensional Details


Lever 94




Lever 96




Lever 97




To suit 12601 Narrow Style locks




Q0102



Q0304



Q0506



Series R-Rectangular Stainless Plate

Features

Size:	165mm x 46mm x 11.5mm thick
Fixing:	Concealed External and Visible Internal
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes


	R01	Concealed Cylinder
	R02	Visible Cylinder
	R03	Visible Turn Snib
	R03I	Visible Indicator Turn Snib
	R04	Concealed Emergency
	R04I	Concealed Emergency Indicating
	R05	Concealed Plain
	R06	Visible Plain
	R08D	Visible Disabled Turn Snib
	R08H	Visible Hospital Turn Snib
	R09I	Concealed Indicator Turn Snib
	R10DI	Visible Disabled Indicator Turn Snib
	R10HI	Visible Disabled Indicator Turn Snib
	R11	Concealed Cylinder Plate
	R12	Visible Cylinder Plate
	R13	Visible Turn Snib Plate
	R14	Concealed Emergency Plate
	R14I	Concealed Emergency Plate Indicator
	R15	Concealed Plain Plate
	R16	Visible Plain Plate
	R17	Visible Cylinder Plate Offset "D"
	R18	Concealed Double Cylinder Plate
	R18/	Visible Double Cylinder Plate Offset "D"
	R19DI	Concealed Disabled Indicator Turn Snib
	R19HI	Concealed Hospital Indicator Turn Snib



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example

R01/91/8/LH/SSS

	Finish (SSS, PSS, NC SSS, NC PSS, NC PB.)
	Handing (If req) LH: Left Hand RH: Right Hand
	Spindle Blank: 7.6mm 8: 8mm
	Lever Design (50-67, 69-74, 80, 91, 93, 94, 96, 97) Rose Design (R01-R10)




Fire Rated




Series R-Lever Options


Lever 50




Lever 56



Lever 62




Lever 69




Lever 80




Lever 51




Lever 57




Lever 63




Lever 70




Lever 91




Lever 52




Lever 58




Lever 64




Lever 71




Lever 93




Lever 53




Lever 59




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




Lever 96




Lever 55




Lever 61




Lever 67




Lever 74




Lever 97




Series R-Dimensional Details




Lever 50




Lever 53




Lever 56




Lever 51




Lever 54




Lever 57




Lever 52



Lever 55




Lever 58




Series R-Dimensional Details


Lever 59




Lever 62




Lever 65




Lever 60




Lever 63




Lever 66




Lever 61



Lever 64




Lever 67




Series R-Dimensional Details


Lever 69




Lever 72




Lever 80




Lever 70




Lever 73




Lever 91




Lever 71



Lever 74




Lever 93




Series R-Dimensional Details


Lever 94







Lever 96



Lever 97



To suit 12500 locks



Series S-Rectangular Stainless Plate Radius End

Features

Size:	165mm x 46mm x 11.5mm thick
Fixing:	Concealed External and Visible Internal
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Ordering Codes


	S01	Concealed Cylinder
	S02	Visible Cylinder
	S03	Visible Turn Snib
	S03I	Visible Indicator Turn Snib
	S04	Concealed Emergency
	S04I	Concealed Emergency Indicating
	S05	Concealed Plain
	S06	Visible Plain
	S08D	Visible Disabled Turn Snib
	S08H	Visible Hospital Turn Snib
	S09I	Concealed Indicator Turn Snib
	S10DI	Visible Disabled Indicator Turn Snib
	S10HI	Visible Disabled Indicator Turn Snib
	S11	Concealed Cylinder Plate
	S12	Visible Cylinder Plate
	S13	Visible Turn Snib Plate
	S14	Concealed Emergency Plate
	S14I	Concealed Emergency Plate Indicator
	S15	Concealed Plain Plate
	S16	Visible Plain Plate
	S17	Visible Cylinder Plate Offset "D"
	S18	Concealed Double Cylinder Plate
	S18/	Visible Double Cylinder Plate Offset "D"
	S19DI	Concealed Disabled Indicator Turn Snib
	S19HI	Concealed Hospital Indicator Turn Snib



Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches.
Order 8mm spindle to suit European locks.

Ordering Example

S01/91/8/LH/SSS

	Finish (SSS, PSS, NC SSS, NC PSS, NC PB.)
	Handing (If req) LH: Left Hand RH: Right Hand
	Spindle Blank: 7.6mm 8: 8mm
	Lever Design (50-67, 69-74, 80, 91, 93, 94, 96, 97)
	Rose Design (S01-S10)




Fire Rated




Series S-Lever Options


Lever 50




Lever 56



Lever 62




Lever 69




Lever 80




Lever 51




Lever 57




Lever 63




Lever 70




Lever 91




Lever 52




Lever 58




Lever 64




Lever 71




Lever 93




Lever 53




Lever 59




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




Lever 96




Lever 55




Lever 61




Lever 67




Lever 74




Lever 97




Series S-Dimensional Details




Lever 50




Lever 53




Lever 56




Lever 51




Lever 54




Lever 57




Lever 52



Lever 55




Lever 58




Series S-Dimensional Details


Lever 59




Lever 62




Lever 65




Lever 60




Lever 63




Lever 66




Lever 61



Lever 64




Lever 67




Series S-Dimensional Details


Lever 69




Lever 72




Lever 80




Lever 70




Lever 73




Lever 91




Lever 71



Lever 74




Lever 93




Series S-Dimensional Details


Lever 94




Lever 96




Lever 97




To suit 12500 locks




S0102



S0304





S0506



Series T-Slimline Square Stainless Plate

Ordering Codes

	T01	Concealed Cylinder
	T02	Visible Cylinder
	T03	Visible Turn Snib
	T03I	Visible Turn Snib Indicator
	T04	Concealed Emergency
	T04I	Concealed Emergency Indicator
	T05	Concealed Plain
	T06	Visible Plain
	T08D	Visible Plain Disabled Turn Snib
	T08H	Visible Plain Hospital Turn Snib
	T09I	Concealed Turn Snib Indicator
	T10DI	Visible Plain Disabled Turn Indicator
	T10HI	Visible Plain Hospital Turn Indicator
	T11	Concealed Cylinder Plate Pull on Plate
	T12	Visible Cylinder Plate Pull on Plate
	T13	Visible Turn Snib Pull on Plate
	T14	Concealed Emergency Pull on Plate
	T14I	Concealed Emergency Pull Indicator
	T15	Concealed Plain Pull on Plate
	T16	Visible Plain Pull on Plate
	T19DI	Concealed Plain Disabled Turn Indicator
	T19HI	Concealed Plain Hospital Turn Indicator
	T21	Concealed Cylinder Push Plate
	T22	Visible Cylinder Push Plate
	T23	Visible Turn Snib Push Plate
	T24	Concealed Emergency Push Plate
	T24I	Concealed Emergency Push Plate Indicator
	T25	Concealed Plain Push Plate
	T26	Visible Plain




Features

Size:	162 x 162 x 2mm thick
Fixing:	Visible bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	35-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches. Order 8mm spindle to suit European locks.

Ordering Example

T01/52/8/LH/SSS

Finish	(SSS, PSS, NC SSS, NC PSS, NC PB.)
Handing (If req)	LH: Left Hand RH: Right Hand
Spindle	Blank: 7.6mm 8: 8mm
Lever Design	(50-67, 69-74, 80, 91, 93, 94, 96, 97)
Plate Design	(T01-T26)




Fire Rated




Series T-Lever Options


Lever 50




Lever 56




Lever 62




Lever 69




Lever 80




Lever 51




Lever 57




Lever 63




Lever 70




Lever 91




Lever 52




Lever 58




Lever 64




Lever 71




Lever 93




Lever 53




Lever 59




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




Lever 96




Lever 55




Lever 61




Lever 67



Lever 74




Lever 97




Series T-Dimensional Details


Lever 50




Lever 53




Lever 56




Lever 51




Lever 54




Lever 57




Lever 52



Lever 55




Lever 58




Series T-Dimensional Details


Lever 59




Lever 62




Lever 65




Lever 60




Lever 63




Lever 66




Lever 61



Lever 64




Lever 67




Series T-Dimensional Details


Lever 69




Lever 72




Lever 80




Lever 70




Lever 73




Lever 91




Lever 71



Lever 74




Lever 93




Series T-Dimensional Details


Lever 94





Lever 96



Lever 97




To suit 12500 locks



Series W-Slimline Square Stainless Plate Radius Corner

Ordering Codes

	W01	Concealed Cylinder
	W02	Visible Cylinder
	W03	Visible Turn Snib
	W03I	Visible Turn Snib Indicator
	W04	Concealed Emergency
	W04I	Concealed Emergency Indicator
	W05	Concealed Plain
	W06	Visible Plain
	W08D	Visible Plain Disabled Turn Snib
	W08H	Visible Plain Hospital Turn Snib
	W09I	Concealed Turn Snib Indicator
	W10DI	Visible Plain Disabled Turn Indicator
	W10HI	Visible Plain Hospital Turn Indicator
	W11	Concealed Cylinder Plate Pull on Plate
	W12	Visible Cylinder Plate Pull on Plate
	W13	Visible Turn Snib Pull on Plate
	W14	Concealed Emergency Pull on Plate
	W14I	Concealed Emergency Pull Indicator
	W15	Concealed Plain Pull on Plate
	W16	Visible Plain Pull on Plate
	W19DI	Concealed Plain Disabled Turn Indicator
	W19HI	Concealed Plain Hospital Turn Indicator
	W21	Concealed Cylinder Push Plate
	W22	Visible Cylinder Push Plate
	W23	Visible Turn Snib Push Plate
	W24	Concealed Emergency Push Plate
	W24I	Concealed Emergency Push Plate Indicator
	W25	Concealed Plain Push Plate
	W26	Visible Plain




Features

Size:	162 x 162 x 2mm thick
Fixing:	Visible bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	35-50mm doors.
Material:	Manufactured from grade 304 Stainless Steel for ultimate durability. NC available on request. Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm

Finishes

Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

Door Handing



Manufactured to suit Australian Mortice Locks and Latches. Order 8mm spindle to suit European locks.

Ordering Example

W01/52/8/LH/SSS

Finish (SSS, PSS, NC SSS, NC PSS, NC PB.)
Handing (If req) LH: Left Hand RH: Right Hand
Spindle Blank: 7.6mm 8: 8mm
Lever Design (50-67, 69-74, 80, 91, 93, 94, 96, 97)
Plate Design (W01-W26)




Fire Rated




Series W-Lever Options


Lever 50




Lever 56




Lever 62




Lever 69




Lever 80




Lever 51




Lever 57




Lever 63




Lever 70




Lever 91




Lever 52




Lever 58




Lever 64




Lever 71




Lever 93




Lever 53




Lever 59




Lever 65




Lever 72




Lever 94




Lever 54




Lever 60




Lever 66




Lever 73




Lever 96




Lever 55




Lever 61




Lever 67



Lever 74




Lever 97




Series W-Dimensional Details


Lever 50




Lever 53




Lever 56




Lever 51




Lever 54




Lever 57




Lever 52



Lever 55




Lever 58




Series W-Dimensional Details


Lever 59




Lever 62




Lever 65




Lever 60




Lever 63




Lever 66




Lever 61



Lever 64




Lever 67




Series W-Dimensional Details


Lever 69




Lever 72




Lever 80




Lever 70




Lever 73




Lever 91




Lever 71



Lever 74




Lever 93




Series W-Dimensional Details


Lever 94





Lever 96



Lever 97



To suit 12500 locks




Series A and C Escutcheons

Features

The Series A and Series C Escutcheon range offers a high quality finish to a range of applications. They are the perfect accessory for the design of your door furniture.

Range



A03 Blank Rose/Concealed
A03 Blank Rose/Concealed
C03 Blank Rose/Concealed
C03 Blank Rose/Concealed

SSS
PSS
SSS
PSS



A09 Emergency Release/Concealed
A09 Emergency Release/Concealed
C09 Emergency Release/Concealed
C09 Emergency Release/Concealed

SSS
PSS
SSS
PSS



A06 Turnsnib/Concealed
A06 Turnsnib/Concealed
C06 Turnsnib/Concealed
C06 Turnsnib/Concealed

SSS
PSS
SSS
PSS



A09I Emergency Release Indicator/Concealed
A09I Emergency Release Indicator/Concealed
C09I Emergency Release Indicator/Concealed
C09I Emergency Release Indicator/Concealed

SSS
PSS
SSS
PSS



A07 Turnsnib/Visible
A07 Turnsnib/Visible
C07 Turnsnib/Visible
C07 Turnsnib/Visible

SSS
PSS
SSS
PSS



A10 Euro Escutcheon/Concealed
A10 Euro Escutcheon/Concealed
C10 Euro Escutcheon/Concealed
C10 Euro Escutcheon/Concealed

SSS
PSS
SSS
PSS



A08 Cylinder Escutcheon/Concealed
A08 Cylinder Escutcheon/Concealed
C08 Cylinder Escutcheon/Concealed
C08 Cylinder Escutcheon/Concealed

SSS
PSS
SSS
PSS




Fire Rated




Series A and C Escutcheons

Dimensions


A03/C03




A06/C06




A07/C07




A08/C08




A09/C09



A09I/C09I



A10/C10



Series B and D Escutcheons

Features

The Series B and Series D Escutcheon range offers a high quality finish to a range of applications. They are the perfect accessory for the design of your door furniture.

Range



	B03	Blank Rose/Concealed	SSS		B07O	Turnsnib/Offset Concealed	SSS
	B03	Blank Rose/Concealed	PSS		B07O	Turnsnib/Offset Concealed	PSS
	D03	Blank Rose/Concealed	SSS		D07O	Turnsnib/Offset Concealed	SSS
	D03	Blank Rose/Concealed	PSS		D07O	Turnsnib/Offset Concealed	PSS
	B06	Turnsnib/Concealed	SSS		B07I	Turnsnib/Concealed Indicator	SSS
	B06	Turnsnib/Concealed	PSS		B07I	Turnsnib/Concealed Indicator	PSS
	D06	Turnsnib/Concealed	SSS		D07I	Turnsnib/Concealed Indicator	SSS
	D06	Turnsnib/Concealed	PSS		D07I	Turnsnib/Concealed Indicator	PSS
	B06D	Turnsnib Concealed Disabled	SSS		B08	Cylinder Escutcheon/Concealed	SSS
	B06D	Turnsnib Concealed Disabled	PSS		B08	Cylinder Escutcheon/Concealed	PSS
	D06D	Turnsnib Concealed Disabled	SSS		D08	Cylinder Escutcheon/Concealed	SSS
	D06D	Turnsnib Concealed Disabled	PSS		D08	Cylinder Escutcheon/Concealed	PSS
	B06DI	Turnsnib Concealed Disabled Indicator	SSS		B09	Emergency Release/Concealed	SSS
	B06DI	Turnsnib Concealed Disabled Indicator	PSS		B09	Emergency Release/Concealed	PSS
	D06DI	Turnsnib Concealed Disabled Indicator	SSS		D09	Emergency Release/Concealed	SSS
	D06DI	Turnsnib Concealed Disabled Indicator	PSS		D09	Emergency Release/Concealed	PSS
	B06H	Turnsnib Concealed Hospital	SSS		B09I	Emergency Release Indicator/Concealed	SSS
	B06H	Turnsnib Concealed Hospital	PSS		B09I	Emergency Release Indicator/Concealed	PSS
	D06H	Turnsnib Concealed Hospital	SSS		D09I	Emergency Release Indicator/Concealed	SSS
	D06H	Turnsnib Concealed Hospital	PSS		D09I	Emergency Release Indicator/Concealed	PSS
	B06HI	Turnsnib Concealed Hospital Indicator	SSS		B10	Euro Escutcheon/Concealed	SSS
	B06HI	Turnsnib Concealed Hospital Indicator	PSS		B10	Euro Escutcheon/Concealed	PSS
	D06HI	Turnsnib Concealed Hospital Indicator	SSS		D10	Euro Escutcheon/Concealed	SSS
	D06HI	Turnsnib Concealed Hospital Indicator	PSS		D10	Euro Escutcheon/Concealed	PSS
	B07	Turnsnib/Concealed	SSS				
	B07	Turnsnib/Concealed	PSS				
	D07	Turnsnib/Concealed	SSS				
	D07	Turnsnib/Concealed	PSS				




Fire Rated




Series B and D Escutcheons

Dimensions


B03/D03




B06/D06




B06D/D06D




B06DI/D06DI




B06H/D06H




B06HI/D06HI




B07/D07




B07I/D07I




B07O/D07O




B08/D08




B09/D09



B09I/D09I



B10/D10



Series F Escutcheons

Features

The Series F Escutcheon range offers a high quality square cut finish to a range of applications. They are the perfect accessory for the modern design of your door furniture.

Range



	F03 F03	Blank Rose Concealed Blank Rose Concealed	SSS PSS		F07I F07I	Turnsnib Concealed Indicator Turnsnib Concealed Indicator	SSS PSS
	F06 F06	Turnsnib/Concealed Turnsnib/Concealed	SSS PSS		F07O F07O	Turnsnib/Offset Concealed Turnsnib/Offset Concealed	SSS PSS
	F06D F06D	Turnsnib Concealed Disabled Turnsnib Concealed Disabled	SSS PSS		F08 F08	Cylinder/Concealed Cylinder/Concealed	SSS PSS
	F06DI F06DI	Turnsnib Concealed Disabled Indicator Turnsnib Concealed Disabled Indicator	SSS PSS		F09 F09	Emergency Release/Concealed Emergency Release/Concealed	SSS PSS
	F06H F06H	Turnsnib Concealed Hospital Turnsnib Concealed Hospital	SSS PSS		F09I F09I	Emergency Release Indicator/Concealed Emergency Release Indicator/Concealed	SSS PSS
	F06HI F06HI	Turnsnib Concealed Hospital Indicator Turnsnib Concealed Hospital Indicator	SSS PSS		F10 F10	Euro Escutcheon/Concealed Euro Escutcheon/Concealed	SSS PSS
	F07 F07	Turnsnib Concealed Turnsnib Concealed	SSS PSS				




Fire Rated




Series F Escutcheons

Dimensions


F03




F06




F06D




F06DI




F06H




F06HI




F07




F07I




F07O




F08



F09



F09I



F10

